



Collier County Native Plant List



Plant	Coastal Zone	Mid Zone	Inland Zone
Trees-Large			
Bald Cypress (<i>Taxodium disticum</i>)	X	X	X
Fiddlewood (<i>Citarexylum fruitcosum</i>)	X	X	
Gumbo limbo (<i>Bursera simaruba</i>)	X		
Hackberry (<i>Celtis laevigata</i>)	X	X	X
Jamaica Dogwood (<i>Piscidia piscipula</i>)	X		
Laurel Oak (<i>Quercus laurifolia</i>)	X	X	X
Live Oak (<i>Quercus virginiana</i>)	X	X	X
Mahogany (<i>Swietenia mahogoni</i>)	X	X	
Mastic (<i>Mastichodendron foetidissimum</i>)	X	X	
Native Fig (<i>Ficus aurea</i>)	X		
Paradise tree (<i>Simarouba glauca</i>)	X		
Red Maple (<i>Acer rubrum</i>)	X	X	X
Royal Palm (<i>Roystonea elata</i>)	X	X	
Seagrape (<i>Coccoloba uvifera</i>)	X	X	
Slash Pine (<i>Pinus elliottii</i>)	X	X	X
Sweet Gum (<i>Liquidambar styraciflua</i>)	X	X	X
Sycamore (<i>Platanus occidentalis</i>)	X	X	X
West Indian Laurelcherry (<i>Prunus myrtifolia</i>)	X		
Wild Tamarind (<i>Lysiloma latisiliquum</i>)	X	X	
Willow Busic (<i>Dipholis salicifolia</i>)	X	X	
Wingleaf Soapberry (<i>Sapindus saponaria</i>)	X	X	
Trees- Medium to Small			
Black Ironwood (<i>Krugiodendron ferreum</i>)	X	X	
Blolly (<i>Guapira discolor</i>)	X		
Cabbage Palm (<i>Sabal Palmetto</i>) *	X	X	X
Dahoon Holly (<i>Ilex cassine</i>)	X	X	X
East Palatka Holly (<i>Ilex attenuata</i>)	X	X	X
Florida Elm (<i>Ulmus americana</i>)	X	X	X
Geiger Tree (<i>Cordia sebestena</i>)	X		
Magnolia (<i>Magnolia grandiflora</i>)	X	X	X
Milkbark (<i>Drypetes diversifolia</i>)	X		
Pigeon Plum (<i>Coccoloba diversifolia</i>)	X		
Satin Leaf (<i>Chrysophyllum oliviforme</i>)	X		
Scrub Hickory (<i>Carya floridana</i>)	X	X	X
Scrub Live Oak (<i>Quercus geminata</i>)	X	X	X
Simpson Stopper (<i>Myrcianthes fragrans</i>)	X	X	X
Soldierwood (<i>Colubrina elliptica</i>)	X		
Shurbs- Large ('B' Buffers)			
Bahama Strongback (<i>Bouyeria ovata</i>)	X		
Black Ironwood (<i>Krugiodendron ferreum</i>)	X	X	

Buttonwood (<i>Conocarpus erectus</i>)	X		
Catclaw (<i>Pithecellobium unguis-cati</i>)	X	X	
Cinnamon Bark (<i>Canella winterana</i>)	X		
Crabwood (<i>Ateramnus lucidus</i>)	X	X	
Darling Plum (<i>Reynosa septentriolalis</i>)	X		
Florida Pivot (<i>Forestiera segregata</i>)	X	X	?
Golden Dewdrop (<i>Duranta repens</i>)	X	X	
Jamaica Caper (<i>Capparis cynophallophora</i>)	X	X	
Maiden Bush (<i>Savia bahamensis</i>)	X		
Myrsine (<i>Myrsine floridana</i>)	X	X	?
Pigeon Plum (<i>Coccoloba diversifolia</i>)	X		
Paurotis Palm (<i>Acoelorrhaphe wrightii</i>)	X	X	
Red Berry Stopper (<i>Eugenia confusa</i>)	X		
Seagrape (<i>Coccoloba uvifera</i>)	X	X	
Wild Lime (<i>Zanthoxylum tagara</i>)	X	X	
Simpson Stopper (<i>Myrcianthes fragrans</i>)	X	X	X
Spicewood (<i>Calyptanthus spp.</i>)	X		
Walters Viburnum (<i>Viburnum obovatum</i>)	X	X	X
Wax Myrtle (<i>Myrica cerifera</i>) **	X	X	X
Yellow Elder (<i>Tecoma stans</i>)	X	X	?
Shrubs- Medium to Small			
Bay Ceder (<i>Suriana maritima</i>)	X		
Blackbead (<i>Pithecellobium guadaupense</i>)	X		
Coco Plum (<i>Chrysobalanus icaco</i>)	X		
Cordia (<i>Cordia globosa</i>)	X		
Firebush (<i>Hamelia patens</i>)	X	X	
Florida Pivot (<i>Forestiera segregata</i>)	X	X	?
Golden Dewdrop (<i>Duranta repens</i>)	X	X	
Jamaica Caper (<i>Capparis cynophallophora</i>)	X	X	
Leather Fern (<i>Acrostichum danaeae-folium</i>)	X	X	
Maiden Bush (<i>Savia bahamensis</i>)	X		
Myrsine (<i>Myrsine floridana</i>)	X	X	?
Necklace Pod (<i>Sophora tomentosa</i>)	X		
Saw Palmetto (<i>Serenoa repens</i>)	X	X	X
Sea Oxeye Daisy (<i>Borrchia trutescens</i>)	X		
Seven Year Apple (<i>Casasia clusiifolia</i>)	X		
Silver Saw Palmetto (<i>Serenoa repens</i> 'Cinerea')	X	X	X
Spicewood (<i>Calyptanthus spp.</i>)	X		
White Indigo Berry (<i>Randia aculeata</i>)	X	X	
Wild Coffee (<i>Psychotria nervosa</i>)		X	

* Cabbage palms must be used in groupings of 3 to count towards a single canopy tree.

Palms can only be used for up to 30% of the required number of canopy trees.

** Not a good buffer shrub - becomes leggy over time.

